


southco®


A small selection of items available from the Southco access hardware range. Refer to WWW.SOUTHCO.COM or request a catalogue for more information.



Diamond brass
With privacy knob




Chrome
No privacy



McCOY

- Mortise lock for doors 22-37mm thick.
- Double springs prevent the handles from sagging.
- Emergency override for latches with privacy knob.
- Materials: Stainless steel, brass

		CHROME	CHROME/ DIAMOND BRASS	DIAMOND BRASS	SATIN
WITH PRIVACY KNOB	Right hand out	MA-01-221-01-10	MA-01-221-01-14	MA-01-221-01-40	MA-01-221-01-20
	Right hand in	MA-01-321-01-10	MA-01-321-01-14	MA-01-321-01-40	MA-01-321-01-20
	Left hand out	MA-01-421-01-10	MA-01-421-01-14	MA-01-421-01-40	MA-01-421-01-20
	Left hand in	MA-01-521-01-10	MA-01-521-01-14	MA-01-521-01-40	
NO PRIVACY KNOB	Right hand out	MA-01-601-01-10	MA-01-601-01-14	MA-01-601-01-40	MA-01-601-01-20
	Right hand in	MA-01-701-01-10	MA-01-701-01-14	MA-01-701-01-40	MA-01-701-01-20
	Left hand out	MA-01-701-01-10	MA-01-701-01-14	MA-01-701-01-40	MA-01-701-01-20
	Left hand in	MA-01-601-01-10	MA-01-601-01-14	MA-01-601-01-40	MA-01-601-01-20




COMPACT NOVETT

Mortise lock for doors 19-32mm thick.

All latches have privacy knobs and all have emergency override.

Materials: stainless steel, brass

Chrome		MC-01-120-10
Satin chrome	All swings	MC-01-120-20
Diamond brass		MC-01-120-14



Dimension G is the distance
from spring bolt to frame edge

STRIKERS

Suitable for McCoy, Compact Novett, Offshore and Omni.


Material: stainless steel or brass, dustbin is plastic.

METRIC (G)	STAINLESS STEEL	BRASS
3mm	MC-90-203-24	MC-90-203-40
5mm	MR-02-102-24	MC-90-205-40
7mm	MC-90-207-24	MC-90-207-40
9mm	MC-90-209-24	MC-90-209-40
13mm	MC-90-213-24	MC-90-213-40
16mm	MC-90-216-24	MC-90-216-40
21mm	MC-90-221-24	MC-90-221-40


southco®

A small selection of items available from the Southco access hardware range. Refer to WWW.SOUTHCO.COM or request a catalogue for more information.

Flush mounted




Mortise mounted



OFFSHORE



- Mortise mounted lock suitable for 18-37mm door thickness.
- Flush mounted lock suitable for 12.5-15mm or 19-21mm door thickness.
- Flush mounted latches have a privacy knob with an emergency override.
- Mortise mounted latches can be privacy with an emergency override or privacy with a key lock.
- Finish: polished chrome
- Materials: Stainless steel, brass, aluminium




CURVED OFFSHORE

- Mortise lock suitable for 12.7mm, 19mm and 25.4mm door thickness.
- Flush mounted only.
- Available as a key lock with privacy knob or privacy knob with an emergency override.
- Suitable for latching the door at any angle between swing and sliding.
- Designed especially for curved doors.
- Finish: polished chrome
- Materials: stainless steel, brass, aluminium

	KEY	PRIVACY	KEY	PRIVACY
12.7mm	ME-03-711-10	ME-03-701-10	ME-03-611-10	ME-03-601-10
19.0mm	ME-03-712-10	ME-03-702-10	ME-03-612-10	ME-03-602-10
25.4mm	ME-03-713-10	ME-03-703-10	ME-03-613-10	ME-03-603-10



Optional day key
5630/XXX (key number)



SECURE

- Swing or sliding door lock for doors 12mm thick.
- Ideal as a hatch latch
- Key lock with privacy
- Materials: Polyamide, brass, stainless steel

White	MG-01-110-70
Black	MG-01-110-50

MARINE LATCH SETS

southco®

Technical Equipment Supplies

marine, joinery and kitchen hardware specialists

phone:

+64 9 444 9914

fax:

+64 9 444 5799

email:


info@technicalequipment.co.nz



A small selection of items available from the Southco access hardware range. Refer to WWW.SOUTHCO.COM or request a catalogue for more information.



Flush Oval, stainless steel




FLUSH

Sliding door lock for doors 12.5mm thick.
Can be used to slide into recessed pockets.
Key lock with privacy.
Materials: brass, stainless steel, plastic

	FLUSH	FLUSH OVAL
White	MF-01-110-70	N/A
Black	MF-01-110-50	N/A
Stainless steel	N/A	MF-01-310-24




Flush, black



Diamond brass with key lock



Chrome No key lock



TALON

- Sliding door lock for doors 20.5-38mm thick
- For use on aluminium extrusions, wood or fibreglass doors
- Available as either key lock with privacy or privacy only
- Can be used for bifolding doors
- Materials: Brass, stainless steel


	KEY LOCK	NO LOCK
Anodised aluminium	MM-01-113-60	MM-01-103-60
Chrome	MM-01-113-10	MM-01-103-10
Diamond brass	MM-01-113-40	MM-01-103-40



2-step



Spring bolt



OMNI

- Swing door latch for doors 12.7 - 19mm thick
- Nylon bumpers reduce vibration
- Available in three forms:
Spring bolt slam latch
Flat mounts flush to the edge of the door, allowing a double swing action
2-step dead bolt
- Materials: Stainless steel, plastic



Flat

DOOR THICKNESS	SPRING BOLT		FLAT		2 STEP	
	PRIVACY	NO PRIVACY	PRIVACY	NO PRIVACY	PRIVACY	NO PRIVACY
12.7mm [1/2"]	MR-01-120-24	MR-01-100-24	MR-02-120-24	MR-02-100-24	MR-03-120-24	MR-03-100-24
16.0mm [5/8"]	MR-01-121-24	MR-01-101-24	MR-02-121-24	MR-02-101-24	MR-03-121-24	MR-03-101-24
19.0mm [3/4"]	MR-01-122-24	MR-01-102-24	MR-02-122-24	MR-02-102-24	MR-03-122-24	MR-03-102-24

